

# seeglass run<sup>®</sup>



Creating usable spaces with  
unlimited views



## FRAMELESS SLIDING GLASS SELF-CLOSING SYSTEM



**Seeglass-run** is an ideal glass system solution for places where you do not want to invade the inside space, like restaurants, terraces and commercial spaces. This system offers the possibility of moving panels, horizontally to one or both sides. Thanks to specially designed panel caps, when the first panel is opened or closed it pulls the rest of the panels so they can be moved as a unit.



System height:  
Up to  
3000 mm



Panel width:  
Up to  
1100 mm



High quality bearings.  
Support  
up to  
80 kgs



Tested on  
more than  
40 000  
cycles of  
opening to  
maximum  
load



Easy and  
quick adjust-  
ment of the  
panels by  
using lower  
adjustment  
screws




Panel rollover  
stop  
system



Forced  
opening  
protection


## CONFIGURATIONS



## PRODUCT BENEFITS

-  Simple and reliable system.
-  Easy cleaning and low maintenance.
-  It does not invade interior space.
-  Perfect integration.
-  Panoramic vision.
-  Protection against inclement weather.
-  Easy installation and handling.
-  High-quality product.
-  Variety of applications.
-  It allows to reuse space.
-  It extends furniture's lifespan.
-  It reduces space maintenance.


## SPECIAL FEATURES



**DOUBLE OPENING DEVICE:**  
Option to choose inside / outside opening device.



**FINISH:**  
Available colours:  
-Matt Chrome  
-White  
-Black  
-Silver




**GASKETS:**  
High quality PVC gaskets have been added to proof against leaks without affecting the aesthetic of the system.




**EMBEDDED PROFILE:**  
Useful option for places where unobstructed access is needed.

## EASY INSTALLATION

Possible adjustment on bearings allows easy installation and assures proper panel movement.



UP TO 5 mm  
REGULATION




## AVAILABLE OPENING DEVICES



**SIMPLE KNOB /  
DOUBLE FIXED  
KNOB:**  
Standard opening  
device for SG RUN  
system.

**FINISH:**  
Matt Chrome.



**RING HANDLE:**  
Round opening  
device.

**FINISH:**  
INOX.



**S-4 LOCK:**  
Lock with a key  
on the outside  
and knob on the  
inside.

**FINISH:**  
Matt Chrome or  
Polished Chrome.



**S-6 LOCK:**  
Locking device  
with either 2  
keyholes on both  
sides, or outside  
key outside and  
inside knob.

**FINISH:**  
Shine or Matt  
Chrome and  
INOX look.



## LOCKING SYSTEMS

In order to achieve a complete closure and greater security, you can choose between two locking systems:




**AUTO-LOCK:**  
Standard  
opening  
system that  
unlocks only  
from the inside.




**LOWER LOCK:**  
Optional  
opening system,  
with contact  
lock that allows  
to open with the  
foot. With this  
option, the  
lateral finishing  
is not necessary.

SYSTEM DETAILS - SURFACE OPTION



SYSTEM DETAILS - EMBEDDED OPTION



| TECHNICAL FEATURES SEEGLASS-RUN |                                       |   |   |   |
|---------------------------------|---------------------------------------|---|---|---|
| Number of rails                 | 3                                     | 4 | 5 | 6 |
| Type of lower rail              | ELEVATED (20mm) or EMBEDDED (20mm)    |   |   |   |
| Type of glass                   | TEMPERED 10mm or 8mm                  |   |   |   |
| Maximum system height           | 3000 mm for 10 mm and 2300 for 8 mm   |   |   |   |
| Maximum system width            | UNLIMITED                             |   |   |   |
| Maximum panel width             | 1100 mm*                              |   |   |   |
| Glass grip                      | TAPED                                 |   |   |   |
| Opening type                    | SLIDING                               |   |   |   |
| Weight location                 | WEIGHT IN LOWER FRAME                 |   |   |   |
| Available finishes              | ANODISED, RAL COLOURS AND WOOD EFFECT |   |   |   |

**NEW**  
NOW AVAILABLE  
IN 8mm

\*Depending on system height, maximum panel width may vary.

## GUARANTEE

Glass enclosing system **seeglass-run** is entirely produced in Spain. All the components are designed and manufactured by C3 Systems S.L.

This product has been tested according to the European standards for waterproof and wind resistance.



**seeglass-run** has a CE mark, as we endorse the production properly sealed and signed.



**seeglass-run** complies with international requirements for aluminium powder coating **Qualanod**, **Qualideco** and **Qualicoat**.

Documento Nº 239894

Hoja 1 de 7

**RESISTENCIA A LAS CARGAS DE VIENTO.**

Empresa: C3 SYSTEM, S.L.  
C/ Juan De Herrera nº 34. Parque Industrial  
03203 - Elche. Alicante.

Producto: Cerramiento corredero.

Modelo: Serie: SEEGLASS RUN V2

Fabricante: C3 SYSTEM, S.L.

Dimensiones (AnxAl): 2100 mm x 2400 mm

Material: Aluminio L-6063 / 6063 A2MgH, 90

Acristalamiento: Vidrio 18 mm acristalado laminado  
FLOAT Templado.

Fecha de Ensayo: 05.10.2015

Resistencia a la carga de viento **CLASE**

**CE**  
Organismo Notificado Nº 1005

Luis García Viqueza  
Responsable Técnico

El presente documento certifica la conformidad del material respecto a los requisitos de la documentación técnica.

Documento Nº 239895

Hoja 1 de 9

**ENSAYOS DE PERMEABILIDAD AL AIRE Y ESTANQUEIDAD AL AGUA**

Empresa: C3 SYSTEM, S.L.  
C/ Juan De Herrera nº 34. Parque Industrial.  
03203 - Elche. Alicante.

Producto: Cerramiento corredero.

Modelo: SEEGLASS RUN V2.

Dimensiones (AnxAl): 2100 mm x 2400 mm

Material: Aluminio L-6063 / 6063 A2MgH, 90

Acristalamiento: Vidrio 18 mm acristalado laminado  
FLOAT Templado.

Fecha de Ensayo: 05.10.2015

Permeabilidad al aire **CLASE 1**

Estanqueidad al agua **CLASE 1A**

**CE**  
Organismo Notificado Nº 1005

Luis García Viqueza  
Responsable Técnico

El presente documento certifica la conformidad del material respecto a los requisitos de la documentación técnica.



Finishes available in  
**RAL**, **anodised** and  
**Wood effect**.

**MADE IN SPAIN**



C3 Systems, S.L. · Marie Curie, 23-25 · Elche Parque Empresarial · 03203 Elche (Alicante) Spain · Telf. +34 966 286 186  
c3systems@c3systems.es · [www.c3systems.es](http://www.c3systems.es)

